



## The All-Purpose Portable Amp



5W  
(2.5W + 2.5W)

### Small Size, Big Sound

At just 280 mm (W) x 108 mm (D) x 177 mm (H) / 11-1/16" (W) x 4-1/4" (D) x 7" (H), no larger than a briefcase, MOBILE CUBE is a traveler's dream. Battery-powered, it can be operated anywhere — just plug in, turn on, and jam. Two high-performance speakers provide stereo sound that defies MOBILE CUBE's physical size.



### Built-In Stereo Effects

Equipped with Roland's legendary FX engine, MOBILE CUBE offers high-quality stereo reverb and chorus effects. Sweeten your vocals, add fire to your guitar tone, or immerse your mixes in a rich stereo sound field. Center Cancel is also provided for minimizing vocals in pre-recorded music — great for karaoke and play-along performance.

■ Control Panel



### All Instruments Welcome

Thanks to its variety of inputs, MOBILE CUBE accommodates microphones, keyboards, acoustic guitars, electric guitars, MP3 players, and more; no other instrument amplifier of this size has a stereo input port. Use it as a practice amp at home, while traveling, indoors or out. It's great for parties, karaoke, and vocal lessons. Connect it to a mic stand for use as a monitor speaker or micro PA.



■ Left Side Panel



■ Right Side Panel



# MOBILE CUBE

Battery Powered Stereo Amplifier

MOBILE CUBE

P35



<b>Rated Power Output/Speakers</b>	<ul style="list-style-type: none"> <li>2.5 W + 2.5 W</li> <li>10 cm (4") x 2</li> </ul>
<b>Connectors</b>	<ul style="list-style-type: none"> <li>[MIC Channel] Input Jacks (1/4" phone type), [KEYBOARD/INSTRUMENT/GUITAR Channel] Input Jack L/MONO, GUITAR (1/4" phone type), Input Jack R (1/4" phone type), AUX IN Jacks (Stereo miniature phone type, RCA phono type), PHONES Jack (Stereo miniature phone type), AC Adaptor Jack</li> </ul>
<b>Size and Weight</b>	<ul style="list-style-type: none"> <li>Size: 280 (W) x 108 (D) x 177 (H) mm (11-1/16" x 4-1/4" x 7")</li> <li>Weight: 2.5 kg (5 lbs. 9 oz.)</li> </ul>
<b>Others</b>	<ul style="list-style-type: none"> <li>Nominal Input Level (1 kHz): MIC Channel=-50 dBu, KEYBOARD/INSTRUMENT/GUITAR Channel=-10 dBu, AUX IN=-10 dBu</li> <li>Controls: POWER Switch, TONE Knob, DELAY/REVERB Knob, [MIC Channel] VOLUME Knob, [KEYBOARD/INSTRUMENT/GUITAR Channel] TYPE Switch, VOLUME Knob, CHORUS Switch, [AUX] CENTER CANCEL Switch</li> <li>Indicator: POWER</li> <li>Power Supply: DC 9 V, Dry Battery (LR6 (AA) type) x 6 or AC Adaptor (optional)</li> <li>Current Draw: 175 mA</li> <li>Accessories: Strap, Dry Battery (LR6 (AA) type) x 6, Owner's Manual</li> </ul>

CUBE Street

P36



<b>Rated Power Output/Speakers</b>	<ul style="list-style-type: none"> <li>2.5 W + 2.5 W</li> <li>16 cm (6.5") x 2</li> </ul>
<b>Connectors</b>	<ul style="list-style-type: none"> <li>[MIC/LINE Channel] Input Jacks (XLR type, 1/4" phone type), Foot Switch Jack (1/4" TRS phone type), [GUITAR/INSTRUMENT Channel] Input Jack (1/4" phone type), Foot Switch Jack (1/4" TRS phone type), STEREO AUX IN Jack (Stereo miniature phone type), PHONES Jack (Stereo 1/4" phone type), AC Adaptor Jack</li> </ul>
<b>Size and Weight</b>	<ul style="list-style-type: none"> <li>Size: 415 (W) x 295 (D) x 250 (H) mm (16-3/8" x 11-5/8" x 9-7/8")</li> <li>Weight: 5.2 kg (11 lbs. 8 oz.)</li> </ul>
<b>Others</b>	<ul style="list-style-type: none"> <li>Controls: POWER Switch (MIC/LINE Channel), SELECT Switch (MIC/LINE), VOLUME Knob, EQUALIZER Knobs (BASS, TREBLE), DELAY/REVERB Knob (GUITAR/INSTRUMENT Channel), TUNER Switch, TYPE Switch, GAIN Knob, VOLUME Knob, EQUALIZER Knobs (BASS, MIDDLE, TREBLE), EFX Knob, DELAY/REVERB Knob</li> <li>Nominal Input Level (1 kHz): MIC/LINE Channel=-50/-10 dBu, GUITAR/INSTRUMENT Channel=-10 dBu, STEREO AUX IN=-10 dBu</li> <li>Power Supply: DC 9 V=AC Adaptor or Dry Battery (LR6 (AA) type)(optional) x 6</li> <li>Current Draw: 235 mA</li> <li>Accessories: Power Cord, AC Adaptor, Owner's Manual</li> </ul>

CM-30





P37



<b>Rated Power Output/Speakers</b>	<ul style="list-style-type: none"> <li>30 W</li> <li>16 cm (6.5") + Tweeter (Coaxial 2-Way)</li> </ul>
<b>Connectors</b>	<ul style="list-style-type: none"> <li>Channel 1 Input Jack (XLR type, 1/4" phone type), Channel 2, 3 Input Jack L (mono) (1/4" phone type), Channel 2, 3 Input Jack R (1/4" phone type), Aux In 1 Jack (RCA phono type), Aux In 2 Jack (Stereo miniature phone type), Stereo Link Out Jacks L, R (1/4" phone type), Stereo Link In Jack (1/4" phone type), Stereo Phones Jack (Stereo 1/4" phone type)</li> </ul>
<b>Size and Weight</b>	<ul style="list-style-type: none"> <li>Size: 214 (W) x 238 (D) x 275 (H) mm (8-7/16" x 9-3/8" x 10-7/8")</li> <li>Weight: 5.6 kg (12 lbs. 6 oz.)</li> </ul>
<b>Others</b>	<ul style="list-style-type: none"> <li>Controls: Channel 1 (Mic/Line) Volume Knob, Channel 2, 3 Volume Knobs, Stereo Phones Level Knob, Equalizer (Low Knob, High Knob, Volume Knob), Power Switch</li> <li>Nominal Input Level (1 kHz): Channel 1 (Mic/Line)=-50 to -20 dBu, Channel 2, 3 (Line)=-20 dBu, AUX IN 1, 2=-10 dBu, Stereo Link Input=-10 dBu</li> <li>Nominal Output Level: Stereo Link Out L, R=-10 dBu</li> <li>Power Supply: AC 117 V, 230 V, 240 V</li> <li>Power Consumption: 32 W</li> </ul>

KC Series

P37

	KC-550 	KC-350 	KC-150 	KC-60 
<b>Rated Power Output/Speakers</b>	<ul style="list-style-type: none"> <li>180 W</li> <li>38 cm (15") x 1, Tweeter x 1</li> </ul>	<ul style="list-style-type: none"> <li>120 W</li> <li>30 cm (12") x 1, Tweeter x 1</li> </ul>	<ul style="list-style-type: none"> <li>65 W</li> <li>30 cm (12") x 1, Tweeter x 1</li> </ul>	<ul style="list-style-type: none"> <li>40 W</li> <li>25 cm (10") x 1, Tweeter x 1</li> </ul>
<b>Connectors</b>	<ul style="list-style-type: none"> <li>CH1 INPUT Jack (XLR type), CH1-4 INPUT L (MONO) Jacks (1/4" phone type), CH1-4 INPUT R Jacks (1/4" phone type), LINE OUT L (MONO) Jacks (XLR type, 1/4" phone type), LINE OUT R Jacks (XLR type, 1/4" phone type), AUX IN Jacks (RCA phono type), SUBWOOFER OUT Jack (1/4" phone type), STEREO LINK OUT Jack (1/4" phone type), STEREO LINK IN Jack (1/4" phone type), PHONES Jack (Stereo 1/4" phone type)</li> </ul>	<ul style="list-style-type: none"> <li>Channel 1 Input Jacks (XLR type, 1/4" phone type), Channel 2 Input Jack (1/4" phone type), Channel 3 Input Jack (1/4" phone type), Channel 4 Input Jack (1/4" phone type), AUX IN Jacks (RCA phono type), LINE OUT Jack (1/4" phone type), SUB WOOFER OUT Jack (1/4" phone type), PHONES Jack (1/4" TRS phone type, mono signal output)</li> </ul>	<ul style="list-style-type: none"> <li>Channel 1 Input Jack (XLR Type, 1/4" phone type), Channel 2 Input Jack (1/4" phone type), Channel 3 Input Jack (1/4" phone type), Channel 4 Input Jack (1/4" phone type), AUX IN Jack (RCA phono type), LINE OUT Jack (1/4" phone type), SUB WOOFER OUT Jack (1/4" phone type), PHONES Jack (Stereo 1/4" phone type, mono signal output)</li> </ul>	<ul style="list-style-type: none"> <li>Channel 1 Input Jack (XLR Type, 1/4" phone type), Channel 2 Input Jack (1/4" phone type), Channel 3 Input Jack (1/4" phone type), AUX IN Jack (RCA phono type), LINE OUT Jack (1/4" phone type), SUB WOOFER OUT Jack (1/4" phone type), PHONES Jack (Stereo 1/4" phone type, mono signal output)</li> </ul>
<b>Size and Weight</b>	<ul style="list-style-type: none"> <li>Size: 590 (W) x 445 (D) x 536 (H) mm (23-1/4" x 17-9/16" x 21-1/8")</li> <li>Weight: 29.0 kg (63 lbs. 15 oz.)</li> </ul>	<ul style="list-style-type: none"> <li>Size: 490 (W) x 385 (D) x 470 (H) mm (19-5/16" x 15-3/16" x 18-9/16")</li> <li>Weight: 22.0 kg (48 lbs. 9 oz.)</li> </ul>	<ul style="list-style-type: none"> <li>Size: 480 (W) x 295 (D) x 435 (H) mm (18-15/16" x 11-5/8" x 17-1/8")</li> <li>Weight: 14.0 kg (30 lbs. 14 oz.)</li> </ul>	<ul style="list-style-type: none"> <li>Size: 415 (W) x 290 (D) x 405 (H) mm (16-3/8" x 11-7/16" x 16")</li> <li>Weight: 12.0 kg (26 lbs. 8 oz.)</li> </ul>
<b>Others</b>	<ul style="list-style-type: none"> <li>Controls: CHANNEL CONTROL (CH1 VOLUME Knob, CH2 VOLUME Knob, CH3 VOLUME Knob, CH4 VOLUME Knob, OUTPUT SELECT Switch, PHONES VOLUME Knob), MASTER CONTROL (EQ (LOW) Knob, EQ (MIDDLE) Knob, EQ (HIGH) Knob, SHAPE Switch, VOLUME Knob), POWER Switch, GND LIFT Switch (KC-550)</li> <li>Nominal Input Level (1 kHz): Channel 1 (MIC/LINE)=-50 to -20 dBu, Channel 2-4 (LINE)=-20 dBu, STEREO LINK INPUT=0 dBu, AUX IN=-10 dBu</li> <li>Nominal Output Level (1 kHz): LINE OUT=+4 dBu, STEREO LINK OUTPUT=0 dBu, SUBWOOFER OUT=+4 dBu</li> <li>Power Supply: Voltage=AC 117 V, AC 230 V, AC 240 V</li> <li>Power Consumption: 135 W</li> </ul>	<ul style="list-style-type: none"> <li>Controls: Channel 1 (MIC/LINE) Volume Knob, Channel 2 (LINE) Volume Knob, Channel 3 (LINE) Volume Knob, Channel 4 (MONITOR) Volume Knob, EQ (LOW) Knob, EQ (HIGH) knob, VOLUME knob, POWER Switch</li> <li>Nominal Input Level (1 kHz): Channel 1 (MIC/LINE)=-50 to -20 dBu, Channel 2, 3, 4 (LINE)=-20 dBu, AUX IN=-10 dBu</li> <li>Nominal Output Level (1 kHz): LINE OUT=+4 dBu, SUB WOOFER OUT=+4 dBu</li> <li>Power Supply: Voltage=AC 117 V, AC 230 V, AC 240 V</li> <li>Power Consumption: 100 W</li> </ul>	<ul style="list-style-type: none"> <li>Controls: Channel 1 (MIC/LINE) Volume Knob, Channel 2 (LINE) Volume Knob, Channel 3 (LINE) Volume Knob, Channel 4 (MONITOR) Volume Knob, EQ (LOW) Knob, EQ (HIGH) knob, VOLUME knob, POWER Switch</li> <li>Nominal Input Level (1 kHz): Channel 1 (MIC/LINE)=-50 to -20 dBu, Channel 2, 3, 4 (LINE)=-20 dBu, AUX IN=-10 dBu</li> <li>Nominal Output Level (1 kHz): LINE OUT=+4 dBu, SUB WOOFER OUT=+4 dBu</li> <li>Power Supply: Voltage=AC 117 V, AC 230 V, AC 240 V</li> <li>Power Consumption: 55 W</li> </ul>	<ul style="list-style-type: none"> <li>Controls: Channel Volume (1, 2, 3), EQ (Low/High), Master Volume, Power Switch</li> <li>Nominal Input Level (1 kHz): Channel 1 (MIC/LINE)=-50 to -20 dBu, Channel 2, 3 (LINE)=-20 dBu</li> <li>Nominal Output Level (1 kHz): LINE OUT=+4 dBu, SUB WOOFER OUT=+4 dBu</li> <li>Power Supply: AC 117/230/240 V</li> <li>Power Consumption: 45 W</li> </ul>